

CHAPTER 33-11-07
CRITICAL CARE AIR AMBULANCE LICENSE

Section

33-11-07-01	Training Standards for Care Providers
33-11-07-02	Minimum Equipment Requirements
33-11-07-03	Advertising Restrictions

33-11-07-01. Training standards for care providers.

1. Both care providers shall be critical care providers as listed in subsection 3 of section 33-11-01.2-12.
2. Notwithstanding subsection 1, elective transports for patients that are in stable condition who do not require specialized interventions or equipment as described in section 33-11-01.2-12 may be staffed at a lesser level that meets the patient's care requirements and is at least at the level of basic life support air ambulance defined in section 33-11-05-01.

History: Effective January 1, 2006; amended effective April 1, 2009; July 1, 2010.

General Authority: NDCC 23-27-04

Law Implemented: NDCC 23-27-04

33-11-07-02. Minimum equipment requirements. All equipment required for a basic life support air ambulance as found in section 33-11-05-02 and all equipment required for an advanced life support air ambulance found in section 33-11-06-02 plus the following equipment must be available at the base station:

1. Ventilator.
2. Intravenous infusion pumps.
3. Any specialized equipment ordered by a physician.

History: Effective January 1, 2006.

General Authority: NDCC 23-27-04

Law Implemented: NDCC 23-27-04

33-11-07-03. Advertising restrictions. No air ambulance service may advertise itself as a critical care air ambulance service unless it has been issued a critical care air ambulance license by the department.

History: Effective January 1, 2006.

General Authority: NDCC 23-27-04

Law Implemented: NDCC 23-27-04